



NATIONAL[®]
PAINTS



NATURAL ACRYLIC STONE FINISH

NATIONAL
NATURAL ACRYLIC STONE FINISH

Description:

National Natural Acrylic Stone Finish is a high build water based acrylic texture coating with natural colour sands. It provides the elegance of natural variations of stone appearances to buildings. Depends on the grains and application technique, it is available in three easy to achieve hardwearing stone finish textures. National Natural Acrylic Stone Finish is weather resistant and can hide minor surface imperfections. The over coating with National Acrylic Stone Clear reduces dirt pick-ups on coated surface and leaves as clean finish. It also provides additional water resistance and durability.

Colors:

National Natural Acrylic Stone Finish shade card.

Surface Preparation:

Before application, the surface should be sound, clean and free from oil, grease, loose particles, dust etc. All loose material must be removed by stiff bristle brushing. Any defects on the substrate should be rectified before starting painting. Using the professional spray gun will make better effect.

Method of Application:

Spray gun with special hopper

- (i) Flat nose spray gun - for large stone texture finishes.
- (ii) Needle nose spray gun - for small/medium stone texture finishes.

Recommended System:

National Acrylic Stone Finish Primer	1 Coat
National Natural Acrylic Stone Finish	2 Coats
National Acrylic Stone Finish Clear	2 Coats

Standard colored texture primers available as per National Natural Acrylic Stone Finish.

Notes:

During application, the scaffolding should be about 30 cm away from the wall. If the distance is too close, the spray between the upper and lower scaffolding parts may have traces, affecting the decorative effect.

Grooves are made by fixing special adhesive tape of desired thickness on the primer coat. Remove masking tape as soon as the painting is over.

Texture, gloss level and the effect on substrate may vary according to light and shade on location. For best results, apply a small sample on location and always ensure batch numbers are the same on all cans used.

ناشونال
اكريليك ستون فنش

وصف المنتج:

ناشونال اكريليك ستون فنش هو طلاء تكستشر مائي الأساس عالي السماكة والقوام مع حبيبات رملية ملونة طبيعية. يُعطي مظهر واثاق الحجر الطبيعي للمباني. يعتمد ذلك على الحبيبات وتقنية التطبيق. يُكوّن بسهولة ثلاثة تصاميم زخرفيه من تكستشر ستون فنش شديدة التحمل. ناشونال اكريليك ستون فنش مقاوم للظروف الجوية ويعمل على اخفاء عيوب السطح الصغيره. يمكن طلاؤه بطبقة نهائيه من ناشونال اكريليك ستون كلير (شفاف) للتقليل من تراكم الاوساخ والغبار فوق السطح المطلي، تاركاً مظهراً نهائياً نظيفاً. بالإضافة الى ذلك فإن هذا المنتج يتميز بمقاومته للماء وشدة التحمل.

الألوان:

حسب بطاقة ألوان ناشونال اكريليك ستون فنش.

تحضير السطح:

قبل عملية الطلاء، يجب أن يكون السطح متماسكاً، نظيفاً، وخالياً من الزيوت، الشحوم، الجزيئات العالقه، الغبار، الخ.. يجب ازالة جميع المواد العالقه بواسطة فرشاه شديدة الخشونه. يجب اصلاح عيوب السطح قبل البدء بعملية الطلاء. يستعمل مسدس رش حُرَفي خاص لغرض الحصول على التأثيرات الزخرفيه المطلوبه.

طريقة الاستخدام:

مسدس رش خاص مع وعاء قمعي الشكل (هوبر)
(i) مسدس رش مسطح الفوهة - للحصول على ستون تكستشر فنش / خشن.
(ii) مسدس رش إبري - للحصول على ستون تكستشر فنش / ناعم ومتوسط.

النظام الموصى به:

ناشونال اكريليك ستون فنش برايمر	1 طبقة
ناشونال ناتشورال اكريليك ستون فنش	2 طبقة
ناشونال اكريليك ستون فنش كلير	2 طبقة

توفر ألوان تكستشر برايمرالفباسية حسب ناشونال ناتشورال اكريليك ستون فنش.

ملاحظات:

أثناء التطبيق، يجب تثبيت السقالة على بعد 30 سم من الجدار. إذا كانت المسافة قريبة جداً، فستؤثر على رشة الصبغ للأجزاء العلوية والسفلية، مما يؤثر على التصميم الزخرفي المطلوب.

يمكن عمل الفواصل فوق طبقة الأساس وذلك بتثبيت شريط لاصق خاص حسب السماكة المطلوبة. يُزال الشريط اللاصق عند انتهاء عملية الطلاء.

يمكن ان تتغير خشونه، درجة اللمعان، والتأثير الزخرفي على السطح طبقاً للضوء والظل على الموقع. للحصول على أفضل النتائج، يوصى بعمل عينة مرجعية في الموقع ويجب تثبيت رقم التشغيل على جميع العبوات المستعملة.

SMALL STONE

ستون صغير



SS 1001



SS 1002



SS 1003



SS 1004



SS 1005



SS 1006



SS 1007



SS 1008



SS 1009



SS 1010



SS 1011



SS 1012



SS 1013

اكريليك ستون فنيش
NATURAL ACRYLIC STONE FINISH

MEDIUM STONE

ستون متوسط



MS 1014



MS 1015



MS 1016



MS 1017



MS 1018



MS 1019



MS 1020



MS 1021



MS 1022



MS 1023



MS 1024




MS 1025



MS 1026

LARGE STONE


ستون كبير



LS 1027



LS 1028



LS 1029



LS 1030




LS 1031



LS 1032



LS 1033



LS 1034




LS 1035



LS 1036



LS 1037



LS 1038



LS 1039



NATIONAL®
PAINTS

www.nationalpaints.com